

Book Name: Selina concise

EXERCISE .1**Question 1:**

What is: (a) aqua fortis, (b) aqua regia (c) Fixation of Nitrogen?

Solution 1:

- (a) Aqua fortis: Nitric acid is called aqua fortis. Aqua fortis means strong water. It is so called because it reacts with nearly all metals.
- (b) Aqua Regia: Conc. Nitric acid (1part by volume) when mixed with conc. Hydrochloric acid (3 parts by volume) gives a mixture called aqua regia. It means Royal water.


$$\text{HNO}_3 + 3\text{HCl} \rightarrow \text{NOCl} + 2\text{H}_2\text{O} + 2[\text{Cl}]$$
- (c) Fixation of Nitrogen: The conversion of free atmospheric nitrogen into useful nitrogenous compounds in the soil is known as fixation of atmospheric nitrogen.

Question 2:

During thunderstorm, rain water contains nitric acid. Explain with reactions.

Solution 2:


During lightning discharge, the nitrogen present in the atmosphere reacts with oxygen to form nitric oxide.



Nitric oxide is further oxidized to nitrogen dioxide.



The nitrogen dioxide dissolves in atmospheric moisture in the presence of oxygen of the air and forms nitric acid which is washed down by the rain and combines with the salt present on the surface of the earth.

**Question 3:**

- (a) Write a balanced chemical equation for the laboratory preparation of nitric acid
- (b) In the preparation of nitric acid from KNO_3 concentrated hydrochloric acid is not used in place of concentrated sulphuric acid. Explain why?
- (c) Conc. Nitric acid prepared in laboratory is yellow in colour why? How is this colour removed?
- (d) Give reasons for the following:

In the laboratory preparation of nitric acid, the mixture of concentrated sulphuric acid and sodium nitrate should not be heated very strongly above 200°C .

Solution 3:

(a) Chemical equation is:



(b) Concentrated hydrochloric acid cannot replace Conc. Sulphuric acid for the preparation of nitric acid because hydrochloric acid is volatile acid and hence nitric acid vapours will carry HCl vapours.

(c) Conc. Nitric acid prepared in the laboratory is yellow in colour due to the dissolution of reddish brown coloured nitrogen dioxide gas in acid. This gas is produced due to the thermal dissociation of a portion of nitric acid.



The yellow colour of the acid is removed:

If dry air or CO_2 is bubbled through the yellow acid, the acid turns colourless because it drives out NO_2 from warm acid which is further oxidized to nitric acid.

By addition of excess of water, nitrogen dioxide gas dissolves in water and thus the yellow colour of the acid is removed.

(d) The temperature of the mixture of concentrated sulphuric acid and sodium nitrate should not exceed 200°C because sodium sulphate formed at higher temperature forms a hard crust which sticks to the walls of the retort and is difficult to remove. At higher temperature nitric acid may also decompose.

**Question 4:**

Nitric acid cannot be concentrated beyond 68% by the distillation of a dilute solution of HNO_3 . State the reason.

Solution 4:

Nitric acid forms a constant boiling mixture with water containing 68% acid. This mixture boils constantly at constant boiling point without any change in its composition. At this temperature, the gas and the water vapour escape together. Hence the composition of the solution remains unchanged. So nitric acid cannot be concentrated beyond 68% by distillation of dilute solution of HNO_3 .

Question 5:

What is passive iron? How is passivity removed?

Solution 5:

Iron becomes inert when reacted with nitric acid due to the formation of extremely thin layer of insoluble metallic oxide which stops the reaction.

Passivity can be removed by rubbing the surface layer with the sand paper or by treating with strong reducing agent.


Question 6:

Name the products formed when:


- (a) carbon and conc. Nitric acid is heated
- (b) dilute HNO_3 is added to copper.

Solution 6:

- (a) When carbon and conc. Nitric acid is heated the products formed are Carbon dioxide, Nitrogen dioxide and water.



- (b) Copper when reacts with dilute HNO_3 forms Copper nitrate, Nitric oxide and water.


**Question 7:**

Give two chemical equations for each of the following:


- (a) Reactions of nitric acid with non-metals
- (b) Nitric acid showing as acidic character
- (c) Nitric acid acting as oxidizing agent

Solution 7:

- (a) Reaction of nitric acid with non-metals:



- (b) Nitric acid showing acidic character:



- (c) Nitric acid acting as oxidizing agent


**Question 8:**

Write balanced equations and name the products formed when:

- (a) Sodium hydrogen carbonate is added to nitric acid
- (b) cupric oxide reacts with nitric acid
- (c) zinc reacts with dilute nitric acid
- (d) concentrated nitric acid is heated

Solution 8:

- (a) When Sodium hydrogen carbonate is added to nitric acid sodium nitrate, carbon dioxide and water is formed.



- (b) When Cupric oxide reacts with dilute nitric acid, it forms Copper nitrate.




(c) Zinc reacts with nitric acid to form Zinc nitrate, nitric oxide and water. $3\text{Zn} + 8\text{HNO}_3 \rightarrow 3\text{Zn}(\text{NO}_3)_2 + 4\text{H}_2\text{O} + 2\text{NO}$

(d) $4\text{HNO}_3 \rightarrow 2\text{H}_2\text{O} + 4\text{NO}_2 + \text{O}_2$


Question 9:

Write equation for the following conversions A, B, C and D.



Solution 9:

A: Copper can be converted into copper nitrate.



B: $2\text{Cu}(\text{NO}_3)_2 \rightarrow 2\text{CuO} + 4\text{NO}_2 + \text{O}_2$

C: $2\text{Cu} + \text{O}_2 \rightarrow 2\text{CuO}$

D: By reduction



Question 10:

How will you prepare the following from nitric acid?


(a) Sodium nitrate (b) copper nitrate

(c) Lead nitrate (d) Magnesium nitrate

(e) Ferric nitrate (f) Aqua regia


Solution 10:

(a) Sodium nitrate:



Sodium hydroxide reacts with nitric acid to form sodium nitrate.

(b) Copper nitrate:




Copper oxide reacts with nitric acid to form copper nitrate.

(c) Lead nitrate:



Lead reacts with conc. nitric acid to form lead nitrate.

(d) Magnesium nitrate:



Magnesium with dil. nitric acid to form magnesium nitrate.

(e) Ferric nitrate:



Iron reacts with conc. nitric acid to form ferric nitrate.

(f) Aqua regia:



Nitric acid reacts with hydrochloric acid to form a mixture called aqua regia.

Question 11:

Correct the following, if required:

- (a) HNO_3 is strong reducing agent.
- (b) NaNO_3 gives Na_2 and O_2 on heating.
- (c) Constant boiling nitric acid contains 80% nitric acid by weight.
- (d) Nitric acid remains colourless even when exposed to light.

Solution 11:

- (a) HNO_3 is strong oxidizing agent.
- (b) NaNO_3 gives NaNO_2 and oxygen on heating.
- (c) Constant boiling nitric acid contains 68% nitric acid by weight.
- (d) Nitric acid turns yellow solution when exposed to light.


Question 12:

Name:

- (a) a nitrate of metal which on heating does not give nitrogen dioxide
- (b) a nitrate which on heating leaves no residue behind.
- (c) a metal nitrate which on heating is changed into metal oxide
- (d) a metal nitrate which on heating is changed into metal
- (e) a solution which absorbs nitric oxide
- (f) the oxide of nitrogen which turns brown on exposure to air. How is it prepared?

Solution 12:

- (a) Sodium nitrate
- (b) A nitrate which on heating leaves no residue behind- Ammonium nitrate.
- (c) A metal nitrate which on heating is changed into metal oxide- Calcium nitrate
- (d) A metal nitrate which on heating is changed into metal- Silver nitrate
- (e) A solution which absorbs nitric oxide- Freshly prepared ferrous sulphate
- (f) The oxide of nitrogen which turns brown on exposure to air. - nitric oxide
By catalytic oxidation of ammonia.



Question 13:

Give the chemical name and formula of the substance formed as a brown ring in the test for nitrate radical.

Solution 13:

The chemical name of the brown ring is Nitroso ferrous sulphate. Formula: $\text{FeSO}_4 \cdot \text{NO}$

Question 14:

Mention three important uses of nitric acid. Give the property of nitric acid involved in the use.

Solution 14:

Three important uses of Nitric acid and the property of nitric acid involved is:

Sl. NO.	Use	Property
1.	To etch designs on copper and brassware.	Nitric acid act as solvent for large number of metals.
2.	To purify gold.	Impurities like Cu, Ag, Zn, etc. dissolve in nitric acid.
3.	Preparation of aqua regia.	Dissolves noble metals.

Question 15:

Choose the correct answer:

(a) The nitrate salt which does not give a mixture of NO_2 and O_2 on heating is:

- (i) AgNO_3 (ii) KNO_3
(iii) $\text{Cu}(\text{NO}_3)_2$ (iv) $\text{Zn}(\text{NO}_3)_2$

(b) The chemical used in the brown ring test is:

- (i) CuSO_4 (ii) FeSO_4
(iii) $\text{Fe}_2(\text{SO}_4)_3$ (iv) N_2O_5

Solution 15:

- (a) KNO_3
(b) FeSO_4
(c) NO_2

Question 16:

(a) Explain with the help of a balanced equation, the brown ring test for nitric acid.

(b) why is freshly prepared ferrous sulphate solution used for testing the nitrate radical in the brown ring test?

Solution 16:

(a) Brown ring test

Procedure:

- (i) Add freshly prepared saturated solution of iron (II)sulphate to the aq. solution of nitric acid.
- (ii) Now add conc. Sulphuric acid carefully from the sides of the test tube, so that it should not fall drop wise in the test tube.
- (iii) Cool the test tube in water.
- (iv) A brown ring appears at the junction of the two liquids.



- (b) A freshly prepared ferrous sulphate solution is used because on exposure to the atmosphere, it is oxidized to ferric sulphate which will not give the brown ring.

Question 17:

From the following list of substances, choose one substance in each case which matches the description given below:

Ammonium nitrate, calcium hydrogen carbonate, copper carbonate, lead nitrate, potassium nitrate, sodium carbonate, sodium hydrogen carbonate, zinc carbonate.

- (a) A nitrate which gives off only oxygen when heated
- (b) A nitrate which on heating decomposes into dinitrogen oxide [nitrous oxide] and steam.
- (c) A nitrate which gives off oxygen and nitrogen dioxide when heated.

Solution 17:

- (a) Potassium nitrate
- (b) Ammonium nitrate
- (c) Lead nitrate

Question 18:

Fill in the blanks:

- (a) Aqua regia is a mixture of 3 parts ----- and one part -----.
- (b) The catalytic oxidation of ammonia to nitric oxide is ----- (exothermic / endothermic) process.
- (c) Magnesium gives -----(O_2 , H_2 , NO) with very dilute nitric acid.

(d) _____ (iron / copper) become passive in concentrated nitric acid

Solution 18:

(a) Aqua regia is a mixture of 3 parts Hydrochloric acid and one part Nitric acid.

(b) The catalytic oxidation of ammonia to nitric oxide is exothermic.

(c) Magnesium gives H₂ with very dilute nitric acid.

(d) Iron become passive in concentrated nitric acid

Question 19:

The action of heat on the blue crystalline solid A, gives a reddish brown gas B, a gas which re-light a glowing splint and leaves a black residue. When gas C, which has a rotten egg smell, is passed through a solution of A, a black ppt. is formed.

(a) Identify A, B and C

(b) Write equation for action of heat on A.

(c) Write equation between solution of A and gas C.

Solution 19:

(a) A = copper nitrate, B = nitrogen dioxide, C = hydrogen sulphide

(b) $2\text{Cu(NO}_3)_2 \xrightarrow{\text{heat}} 2\text{CuO} + 4\text{NO}_2 + \text{O}_2$

(c) $\text{Cu(NO}_3)_2 + \text{H}_2\text{S} \rightarrow \text{CuS} + 2\text{HNO}_3$

Question 1(2004):

X, Y and Z are three crystalline solids which are soluble in water and have a common anion. To help you to identify X, Y and Z you are provided with the following experimental observations. Copy and complete the corresponding inferences in (a) to (f).

(a) A reddish-brown gas is obtained when X, Y and Z are separately warmed with concentrated sulphuric acid and copper turning added to the mixture.

INFERENCE 1 : The common anion is the ion.

(b) When X is heated, it melts and gives off only one gas which re-lights a glowing splint.

INFERENCE 2: The cation in X is either Or

(c) The action of heat on Y produces a reddish-brown gas and a yellow residue which fuses with the glass of the test tube.

INFERENCE 3: The metal ion present in Y is the ion

(d) When Z is heated, it leaves no residue. Warming Z with sodium hydroxide solution liberates a gas which turns moist red litmus paper blue.

INFERENCE 4: Z contains the Cation.

(e) Write the equations for the following reactions:

(1) X and concentrated sulphuric acid (below 200° C). (One equation only for either of the cations given in INFERENCE 2).

(2) Action of heat on Y.

(3) Concentrated nitric acid is added to copper turnings kept in a beaker.

Solution 1(2004):

(a) Nitrate.

(b) Sodium or potassium

(c) Lead

(d) Ammonia

(e) $(1) \text{KNO}_3 + \text{H}_2\text{SO}_4 \xrightarrow{200^\circ \text{C}} \text{KHSO}_4 + \text{HNO}_3$

(f) $2\text{Pb}(\text{NO}_3)_2 \xrightarrow{\text{heat}} 2\text{PbO} + 4\text{NO}_2 + \text{O}_2$

(g) $\text{Cu} + 4\text{HNO}_3 \rightarrow \text{Cu}(\text{NO}_3)_2 + 2\text{H}_2\text{O} + 2\text{NO}_2$

Question 1(2005):

(a) Dilute acid is generally considered a typical acid except for its reaction with metals. In what way is dilute nitric acid different from other acids when it reacts with metals?

(b) Write the equation for the reaction of dilute nitric acid with copper.

Solution 1(2005):

(a) Dilute acid is generally considered a typical acid except for its reaction with metals since it does not liberate hydrogen. It is a powerful oxidizing agent and the nascent oxygen formed oxidizes the hydrogen to water.

(b) $3\text{Cu} + 8\text{HNO}_3 \rightarrow 3\text{Cu}(\text{NO}_3)_2 + 4\text{H}_2\text{O} + 2\text{NO}$

Question 1(2006):

Explain why:

(a) Only all – glass apparatus should be used for the preparation of nitric acid by heating concentrated sulphuric acid and potassium nitrate.

(b) Nitric acid is kept in a reagent bottle for a long time.

Solution 1(2006):

a) All glass apparatus are used because nitric acid vapours are highly corrosive in nature and corrodes cork and rubber etc.


b) Nitric acid is kept in reagent bottle because nitric acid is a highly fuming liquid; it spreads in air and is highly corrosive.

Question 2(2006):

Write a chemical equation to illustrate the acidic nature of nitric acid.

Solution 2(2006):

The chemical equation:

**Question 3(2006):**


Name the products formed when ammonium nitrate is heated.

Solution 3(2006):

When ammonium nitrate is heated the products formed are nitrous oxide and steam.

Question 1(2007):

The figure given below illustrates the apparatus used in the laboratory preparation of nitric acid.



- (a) Name A (a liquid), B (a solid) and C (a liquid). (Do not give the formulae)
 (b) Write an equation to show how nitric acid undergoes decomposition
 (c) Write the equation for the reaction in which copper is oxidized by concentrated nitric acid

Solution 1(2007):

- (a) A = Conc. Sulphuric acid
 B = potassium nitrate
 C = nitric acid
 (b) Nitric acid undergoes decomposition as follows: $4\text{HNO}_3 \rightarrow 4\text{NO}_2 + 2\text{H}_2\text{O} + \text{O}_2$
 (c) Copper is oxidized by concentrated nitric acid: $\text{Cu} + 4\text{HNO}_3 \rightarrow \text{Cu}(\text{NO}_3)_2 + 2\text{H}_2\text{O} + 2\text{NO}_2$

Question 1(2008):

- (a) A dilute acid B does not normally give hydrogen when reacted with metals but does give a gas when reacts with copper. Identify B. Write equation with copper.

(b) Complete the table:

Name of process	Inputs	Equation	Output
	Ammonia		Nitric acid

(c) What is the property of nitric acid which allows it to react with copper.

Solution 1(2008):

(a) B is nitric acid

Its reaction with copper:



(b)

Name of the process	Inputs	Equation	Output
Ostwald process	Ammonia + air	$4\text{NH}_3 + 5\text{O}_2 \xrightarrow[500^\circ\text{C}]{\text{Pt}} 4\text{NO} + 6\text{H}_2\text{O}$ $2\text{NO} + \text{O}_2 \rightarrow 2\text{NO}_2$ $4\text{NO}_2 + 2\text{H}_2\text{O} + \text{O}_2 \rightarrow 4\text{HNO}_3$	Nitric acid

(c) Nitric acid is a very good oxidizing agent its oxidizing property is responsible for its reaction with copper.